

American Industrial Hygiene Association
 Bulk Asbestos Proficiency Analytical Testing Program
 Results of Round A101-414
 1/9/2015

-RKQ +HUURFN /DERUDWRU\,' 1XPEHU 7RWDO 3HQDOW\
 8QLYHUVLW\ RI /RXLVLDQD 0RQRH 'HSW RI 7R[LFRRJ\ 5RXQG 6WDWX\
 8QLYHUVLW\ \$YH 3URJUDP 6WDWX\
 0RQRH /\$
 81,7(' 67\$7(6

/RW 'HVLJQDWLRQ?6DPSON , ' 1XPEHU	%	&	'
\$QDO\VLV 5HVXOWV IURP /DERUDWRU\ 1XPEHU			
\$VEHVWRV 121(\$026	&+5<	121(
2WKHU)LEURXV 0DWHULDOV)%*/)%*/		&(//
1RQILEURXV 0DWHULDO \$&,'	\$&,'	27+5)%*/
27+5	27+5	\$&,'	\$&,'
3HQDOW\ 3RLQV \$VVHVHG			0,&\$

\$QDO\VLV 5HVXOWV IURP 5HIHUHQFH /DERUDWRU\ 2QH			
\$VEHVWRV 121(\$026		
		27+5	0,&\$
			&\$62

\$QDO\VLV 5HVXOWV IURP 5HIHUHQFH /DERUDWRU\ 7ZR			
\$VEHVWRV	\$026	&+5<	75(0 WU
2WKHU)LEURXV 0DWHULDOV)%*/)%*/ WU		
		&(//	
1RQILEURXV 0DWHULDO 27+5	27+5	27+5	27+5
27+5		27+5	27+5
27+5			

\$QDO\VLV 5HVXOWV IURP 57, ,QWHUQDWLRQDO			
\$VEHVWRV 121(\$026	&+5<	121(
2WKHU)LEURXV 0DWHULDOV)%*/)%*/		&(//
	27+5	&(//	
1RQILEURXV 0DWHULDO 27+5	27+5	27+5	47=
		27+5	0,&\$
		27+5	27+5

\$FFHSWDEOH 4XDQWLWDWRQ 5DQJH	\$02675\$	&+5<75\$	121(
-------------------------------	-----------	----------	------

6XPPDU\ RI 5HVXOWV IURP DOO /DERUDWRULHV			
7\SH 2QH \$VEHVWRV	\$026	&+5<	
7\SH 2QH 0HDQ			
7\SH 7ZR \$VEHVWRV			
7\SH 7ZR 0HDQ			
7\SH 7KHU \$VEHVWRV			
7\SH 7KHU 0HDQ			
2WKHU \$VEHVWRV 7\SHV	\$026 &+5< 75(0	\$&71 \$17+ &+5< \$17+	\$026 \$&71 \$17+ \$026
5HSRUWHG LQ 6DPSON		&52& 75(0	&+5< 75(0

\$&71 \$FWLQROLWH &+5< &KU\VRWLOH &(// &HOOXORVH &\$&2 &DOFLXP &DUERQDWH &DOFL			
\$026 \$PRVLWH &52& &URFLGROLWH)%*/)LEHUJODVV 0LQH&52& &DOFLXP 6XOIDWH *\$VXP			
\$17+ \$QWKRSK\OOLWH75(0 7UHPROLWH 6<17 6\QWKHWF 0,&\$ 0LDFHRXV 0DWHULDO			
		27+5 2WKHU	
		75\$ 7UDFH	

3 3URILFLHQW 13 1RQSURILFLHQW , .QFRPSOHWH

)RRWRWHV H[SODLQLQJ 27+5 PDWHULDOV LGHQWLILHG GXULQJ VDPSON DQDO\VLV

VW\URIRDP PLFD FOD\ J\$VXP FHPHQW TXD&VDFD&H&K&W&L&GH&H&P&W&L&ELQGI
 TW] VQQG FHPHQW YLQ\O JOXH DQG RUJDQLFV LQ D&LQ\O ELQGHU
 J\$VXP FDUERQDWH ELQGHU ELQGHUV &DOFDUHRXV ELQGHU
 YLQ\O ELQGHUV SLJPHQW DVKHG LQFOXGLQJ FHOOXORVH)LQH JUDLQHG PLQHDO ILOOHU
 FDOFDUHRXV PDWHULDO DFLGLIE&G FDUHRXV PDWUL[YHUPLFXOL&VFLGF&DO XEOH ELQGHU DQG DFFI
 DVKHG PDWHULDO DVKHG PDWHULDOV LQ F&X&G&L&R&P VW\URIRDP
 FOD\ TXDUW] FHPHQW XQLGH&V&H&P&W&L&ELQGI PDWUL[DQG TXDUW]